Author Index

Agius, L. and Peak, M.
Interactions of okadaic acid with insulin action in hepatocytes: role of protein phosphatases in insulin action (1095) 243
Åkerman, K.E.O., see Jansson, C.C. (1095) 255
Angelini, C., see Martinuzzi, A. (1095) 217

Bataille, D., see Tani, T. (1095) 249
Birly, A.K., see McGregor, S.J. (1095) 196
Bolkenius, F.N.
Leukocyte-mediated inactivation of α_1-proteinase inhibitor is inhibited by amino analogues of α-tocopherol (1095) 23
Brand, K., see Schöbitz, B. (1095) 230
Brand, K., see Schöbitz, B. (1095) 95
Brass, E.P., Gandour, R.D. and Griffith, O.W.
Effect of carnitine acetyltransferase inhibition on rat hepatocyte metabolism (1095) 17
Brock, J.H., see McGregor, S.J. (1095) 196
Bruns, K., see Davis, T.R. (1095) 145

Caron, M.G., see Lomasney, J.W. (1095) 127
Castranova, V., see Rabovsky, J. (1095) 223
Christopherson, R.I., see Schöbitz, B. (1095) 95
Church, F.C., see Hoffman, M. (1095) 78
Cockcroft, S., see Nielson, C.P. (1095) 83
Conricode, K.M. and Ochs, R.S.
Vasopressin stimulates pyruvate utilization through a Ca^{2+}-dependent mechanism and lactate formation by a protein kinase C-dependent mechanism in isolated rat hepatocytes (1095) 161
Conti, F., see Miccheli, A. (1095) 90
Cotecchia, S., see Lomasney, J.W. (1095) 127
Craelius, W., see Harris, D.R. (1095) 175

Davis, T.R., Tabatabai, L., Bruns, K., Hamilton, R.T. and Nilsen-Hamilton, M.
Basic fibroblast growth factor induces 3T3 fibroblasts to synthesize and secrete a cyclophilin-like protein and β_2-microglobulin (1095) 145
Degani, H., see Ronen, S.M. (1095) 5
Dockray, G.J., see Donella-Deana, A. (1095) 75
Donella-Deana, A., Varro, A., Dockray, G.J. and Pinna, L.A.
Substitution of phosphotyrosine for sulphotyrosine in biologically active peptides. Enzymatic phosphorylation of a progastrin peptide confers immunoreactivity reminiscent of the sulphated derivative (1095) 75

Estival, A., see Tani, T. (1095) 249
Evans, H.J., see Kini, R.M. (1095) 117

Faulkner, K.A., see Hoffman, M. (1095) 78
Fujii, H. and Kakinuma, K.
Electron transfer reactions in the NADPH oxidase system of neutrophils – involvement of an NADPH-cytochrome *c* reductase in the oxidase system (1095) 201

Gandour, R.D., see Brass, E.P. (1095) 17
Gay, J.C. and Murray, J.J.
Differential effects of propranolol on responses to receptor-dependent and receptor-independent stimuli in human neutrophils (1095) 236
Green, W.L., see Harris, D.R. (1095) 175
Griffith, O.W., see Brass, E.P. (1095) 17

Halls, D., see McGregor, S.J. (1095) 196
Hamilton, R.T., see Davis, T.R. (1095) 145
Hannappel, E., see Schöbitz, B. (1095) 230
Hardardottir, I. and Kinsella, J.E.
Tumor necrosis factor production by murine resident peritoneal macrophages is enhanced by dietary *n*–3 polyunsaturated fatty acids (1095) 187
Harris, D.R., Green, W.L. and Craelius, W.
Acute thyroid hormone promotes slow inactivation of sodium current in neonatal cardiac myocytes (1095) 175
Hashimoto, H., Ogino, R., Saeki, H., Yatsunami, K. and Ichikawa, A.
Prostaglandin E_1 receptor from mouse mastocytoma P-815 cells couples to 60 kDa GTP-binding protein (1095) 140
Herold, G., see Rogler, G. (1095) 30
Hoffman, M., Faulkner, K.A., Iannone, M.A. and Church, F.C.
The effects of heparin cofactor II-derived chemotaxins on neutrophil actin conformation and cyclic AMP levels (1095) 78
Howell, S.L., see Persaud, S.J. (1095) 183

Iannone, M.A., see Hoffman, M. (1095) 78
Ichikawa, A., see Hashimoto, H. (1095) 140

Jansson, C.C., Kukkonen, J. and Åkerman, K.E.O.
Muscarinic receptor-linked elevation of cAMP in SH-SY5Y neuroblastoma cells is mediated by Ca^{2+} and protein kinase C (1095) 255
Jarrousse, C., see Tani, T. (1095) 249
Johnson, P., see Trowbridge, I.S. (1095) 46
Jones, P.M., see Persaud, S.J. (1095) 183
Judy, D.J., see Rabovsky, J. (1095) 223
Junor, B.J.R., see McGregor, S.J. (1095) 196

Kagawa, Y., see Nishi, N. (1095) 268
Kakinuma, K., see Fujii, H. (1095) 201
Karanutilake, C., see Young, P.R. (1095) 1
Kaser, M.R., see Skouteris, G.G. (1095) 169
Kini, R.M. and Evans, H.J.
Inhibition of platelet aggregation by a fibrinogenase from *Naja nigricollis* venom is independent of fibrinogen degradation (1095) 117
Kinsella, J.E., see Hardardottir, I. (1095) 187
Kukkonen, J., see Jansson, C.C. (1095) 255
Künnecke, B. and Seelig, J.
Glycogen metabolism as detected by in vivo and in vitro ^{13}C-NMR spectroscopy using [1,2-$^{13}C_2$]glucose as substrate (1095) 103
Kurokawa, R., Kyakumoto, S. and Ota, M.
Retinoic acid receptor in subclone of human salivary gland adenocarcinoma cell line HSG and effect of retinoic acid on cellular growth (1095) 63
Kyakumoto, S., see Kurokawa, R. (1095) 63

Lagana, A., see Miccheli, A. (1095) 90
Lefkowitz, R.J., see Lomasney, J.W. (1095) 127
Le Quellec, A., see Tani, T. (1095) 249

Lomasney, J.W., Cotecchia, S., Lefkowitz, R.J. and Caron, M.G.
Molecular biology of α-adrenergic receptors: implications for receptor classification and for structure–function relationships (1095) 127

Martinez, J., see Tani, T. (1095) 249
Martinuzzi, A., Vergani, L., Rosa, M. and Angelini, C.
L-Carnitine uptake in differentiating human cultured muscle (1095) 217
McGregor, S.J., Naves, M.L., Birly, A.K., Russell, N.H., Halls, D., Junor, B.J.R. and Brock, J.H.
Interaction of aluminium and gallium with human lymphocytes: the role of transferrin (1095) 196
McNabb, C.K., see Sanghera, J.S. (1095) 153
Merkulova, T.I., see Plisov, S.Y. (1095) 114
Miccheli, A., Ricciolini, R., Lagana, A., Piccolella, E. and Conti, F.
Modulation of the free sphingosine levels in Epstein Barr virus transformed human B lymphocytes by phorbol dibutyrate (1095) 90
Mortensen, R.F., see Tebo, J.M. (1095) 210
Murray, J.J., see Gay, J.C. (1095) 236

Naves, M.L., see McGregor, S.J. (1095) 196
Nielson, C.P., Stutchfield, J. and Cockcroft, S.
Chemotactic peptide stimulation of arachidonic acid release in HL60 cells, an interaction between G protein and phospholipase C mediated signal transduction (1095) 83
Nilsen-Hamilton, M., see Davis, T.R. (1095) 145
Nilsen, T.
Effects of calcium on hepatocyte iron uptake from transferrin, iron-pyrophosphate and iron-ascorbate (1095) 39
Nishi, N., Shimizu, C., Okutani, T., Kagawa, Y., Takasuga, H., Suno, M. and Wada, F.
Rat prostatic growth factors: purification and characterization of high and low molecular weight epidermal growth factors from rat dorsolateral prostate (1095) 268

Ochs, R.S., see Conricode, K.M. (1095) 161
Ogino, R., see Hashimoto, H. (1095) 140
Okutani, T., see Nishi, N. (1095) 268
Ostergaard, H.L., see Trowbridge, I.S. (1095) 46
Ota, M., see Kurokawa, R. (1095) 63

Pailes, W.H., see Rabovsky, J. (1095) 223
Peak, M., see Agius, L. (1095) 243
Pelech, S.L., see Sanghera, J.S. (1095) 153
Persaud, S.J., Jones, P.M. and Howell, S.L.
Activation of protein kinase C is not required for glyceraldehyde-stimulated insulin secretion from rat islets (1095) 183
Piccolella, E., see Miccheli, A. (1095) 90
Pinna, L.A., see Donella-Deana, A. (1095) 75
Plisov, S.Y., Merkulova, T.I. and Seledtsov, I.A.
Glucocorticoid-receptor binding sites at the 5′ flanking region of a rat cytochrome *CYP2B2* gene predicted with a novel computer method (1095) 114
Pradayrol, L., see Tani, T. (1095) 249

Rabovsky, J., Pailes, W.H., Judy, D.J. and Castranova, V.
Cytochrome *P*-450-dependent metabolism in alveolar type II epithelial cells: modulation by platelet-activating factor (1095) 223
Ricciolini, R., see Miccheli, A. (1095) 90
Rogler, G., Herold, G. and Stange, E.F.
HDL_3-retroendocytosis in cultured small intestinal crypt cells: a novel mechanism of cholesterol efflux (1095) 30
Ronen, S.M., Rushkin, E. and Degani, H.
Lipid metabolism in T47D human breast cancer cells: ^{31}P and ^{13}C-NMR studies of choline and ethanolamine uptake (1095) 5
Rosa, M., see Martinuzzi, A. (1095) 217
Rushkin, E., see Ronen, S.M. (1095) 5
Russell, N.H., see McGregor, S.J. (1095) 196

Saeki, H., see Hashimoto, H. (1095) 140
Saltó, C., see Solsona, C. (1095) 57
Sanghera, J.S., McNabb, C.K., Tonks, N. and Pelech, S.L.
Tyrosyl phosphorylation and activation of the myelin basic protein kinase $p44^{mpk}$ during sea star oocyte maturation (1095) 153
Schöbitz, B., Hannappel, E. and Brand, K.
The early induction of the actin-sequestering peptide thymosin β_4 in thymocytes depends on the proliferative stimulus (1095) 230
Schöbitz, B., Wolf, S., Christopherson, R.I. and Brand, K.
Nucleotide and nucleic acid metabolism in rat thymocytes during cell cycle progression (1095) 95
Seelig, J., see Künnecke, B. (1095) 103
Seledtsov, I.A., see Plisov, S.Y. (1095) 114
Shimizu, C., see Nishi, N. (1095) 268
Skouteris, G.G. and Kaser, M.R.
Hepatocyte conditioned medium modulates the response of primary rat hepatocyte cultures to epidermal growth factor (1095) 169
Sladeczek, F., see Tani, T. (1095) 249
Solsona, C., Saltó, C. and Ymbern, A.
Effects of potassium depolarization on intracellular compartmentalization of ATP in cholinergic synaptosomes isolated from *Torpedo* electric organ (1095) 57
Stange, E.F., see Rogler, G. (1095) 30
Stutchfield, J., see Nielson, C.P. (1095) 83
Suno, M., see Nishi, N. (1095) 268

Tabatabai, L., see Davis, T.R. (1095) 145
Tager, J.M., see Wolvetang, E.J. (1095) 122
Takasuga, H., see Nishi, N. (1095) 268
Tani, T., Le Quellec, A., Jarrousse, C., Sladeczek, F., Martinez, J., Estival, A., Pradayrol, L. and Bataille, D.
Oxyntomodulin and related peptides control somatostatin secretion in RIN T3 cells (1095) 249
Tebo, J.M. and Mortensen, R.F.
Internalization and degradation of receptor bound C-reactive protein by U-937 cells: induction of H_2O_2 production and tumoricidal activity (1095) 210
Tonks, N., see Sanghera, J.S. (1095) 153
Trowbridge, I.S., Ostergaard, H.L. and Johnson, P.
CD45: a leukocyte-specific member of the protein tyrosine phosphatase family (1095) 46

Varro, A., see Donella-Deana, A. (1095) 75
Vergani, L., see Martinuzzi, A. (1095) 217
Villar-Palasi, C.
Substrate specific activation by glucose 6-phosphate of the dephosphorylation of muscle glycogen synthase (1095) 261

Wada, F., see Nishi, N. (1095) 268
Wanders, R.J.A., see Wolvetang, E.J. (1095) 122
Wolf, S., see Schöbitz, B. (1095) 95
Wolvetang, E.J., Tager, J.M. and Wanders, R.J.A.
Factors influencing the latency of the peroxisomal enzyme dihydroxyacetone-phosphate acyltransferase (DHAP-AT) in permeabilized human skin fibroblasts (1095) 122

Yatsunami, K., see Hashimoto, H. (1095) 140
Ymbern, A., see Solsona, C. (1095) 57
Young, P.R., Karanutilake, C. and Zygas, A.P.
Binding of cathepsin D to the mannose receptor on rat peritoneal macrophages (1095) 1

Zygas, A.P., see Young, P.R. (1095) 1